

ASTHMA ACTION PLAN

DATE	

Name:		DOB:
Severity Classification: Intermittent	□ Mild Persistent □ Moderate Persistent □ Severe Persistent	
Asthma Triggers (list):		
Peak Flow Meter Personal Best:		
GREEN ZONE: Doing Well	YELLOW ZONE: Caution	RED ZONE: Get Help Now!
Symptoms:	Symptoms:	Symptoms:
Breathing is good - No cough or wheeze - Can work and play - Sleeps well at night	Some problems breathing - Cough, wheeze, or chest tight - Problems working or playing - Wake at night	Lots of problems breathing - Cannot work or play - Getting worse instead of better - Medicine is not helping
Peak Flow Meter: (more than 80% of personal best)	Peak Flow Meter: to to (between 50% and 79% of personal best)	Peak Flow Meter: (less than 50% of personal best)
Control Medicine(s): Medicine: ————————————————————————————————————	Quick-relief Medicine(s): Use albuterol/levalbuterol puffs, every 4 hours as needed	Take Quick-relief Medicine NOW! ☐ Use albuterol/levalbuterol puffs,(how frequently)
How much to take:	Control Medicine(s): ☐ Continue Green Zone medicines Add:	Call 911 immediately if the following danger signs are present:
When and how often to take it:	Change to:	Trouble walking/talking due to shortness of breath
Physical Activity:		• Lips or fingernails are blue
☐ Use albuterol/levalbuterol puffs, 15 minutes before activity ☐ with all activity ☐ when you feel you need it	You should feel better within 20-60 minutes of the quick-relief treatment. If you are getting worse or are in the Yellow Zone for more than 24 hours, THEN follow the instructions in the RED ZONE and call the doctor right away!	Still in the red zone after 15 minutes
Emergency Contact: Name:		Phone:
Healthcare Provider: Name:		Phone:



